



Joomla Multi Sites

Demo JMS Installation

August 2008

<i>Project:: Joomla Multi Sites</i>	<i>Customer: X</i>
<i>Written by: Edwin CHERONT</i>	<i>Reviewed by:</i>
<i>Starting Date: 24-Jul-2008 9:04</i>	<i>Review Date:</i>
<i>Last Update date: 20-Aug-2008 10:54</i>	
<i>Version: V1.0.5</i>	
<i>File name: Demo_Install_j156.doc</i>	

2Win is a trademark of Edwin2Win sprlu Belgium.
 Copyright 2008 Edwin2Win sprlu
 All right reserved.

Edwin2Win sprlu - 107 Rue des Robiniers - 7024 Cibly - Belgium
 VAT no: BE 0477.727.077 - RPM: Mons
 Dexia bank - IBAN: BE16 7775 9791 7574 BIC: GKCCBEBB
 Tel: +32 (0)65/84.06.98 Fax: +32 (0)65/25.00.89 email: info@jms2win.com

Table of Contents

1. INTRODUCTION	4
2. INSTALLATION OF THE MASTER.....	5
3. INSTALLATION OF JMS ON THE MASTER SITE.....	12
4. INSTALLATION OF THE SLAVE SITES	22
5. SELECTION OF DIFFERENT DEFAULT TEMPLATE ON EACH SITES.....	28



Change Control

Version	Date	Description
1.0	29-july-2008	Initial version
1.0.3	4-aug-2008	Update screen with JMS version 1.0.3 that use Joomla 1.5.5
1.0.5	19-aug-2008	Update screen with JMS version 1.0.5 that use Joomla 1.5.6 Add a slave site 'www.x2win.eu' to demonstrate that JMS can work with both domain and sub-domain

1. Introduction


This document is a demonstration of the Joomla Multi Sites installation procedure. It shows you the installation of a Master site and three slave sites.

Because we have received some questions to know if Joomla Multi Sites can work with sub-domain and domain, in this demo, there are 2 slave sites using 'sub-domain' and one slave site using a domain name.

It highlight the important point to respect to ensure each site is seen independantly.


In the current demonstration we have used a single database to store the content of all the websites. We have choosen this particular architecture because there are some constrain that must be respected to avoid conflict between the websites.

If you use different databases for each websites, those constrains does not exists. See the user's manual for the possible architecture.



In the case of a single database, the table prefix 'jos_' can not be used.

2. Installation Of the Master



Joomla! Web Installer - Microsoft Internet Explorer
_ □ ×

File Edit View Favorites Tools Help

← Back →
Search
Favorites
Media
Go

Address http://master.demo.jms2win.com/installation/index.php

Installation
Version 1.5

Steps

- 1 : Language
- 2 : Pre-installation Check
- 3 : License
- 4 : Database
- 5 : FTP Configuration
- 6 : Configuration
- 7 : Finish

Pre-installation Check

Check Again
Previous
Next

Pre-installation check for Joomla! 1.5.4 Production/Stable [Naiki] 6-July-2008 22:00 GMT:

If any of these items are not supported (marked as **No**), your system does not meet the minimum requirements for installation. Please take appropriate actions to correct the errors. Failure to do so could lead to your Joomla! installation not functioning properly.

PHP Version >= 4.3.10	Yes
- Zlib Compression Support	Yes
- XML Support	Yes
- MySQL Support	Yes
MB Language is Default	Yes
MB String Overload Off	Yes
configuration.php Writable	Yes

Recommended Settings:


These are the recommended settings for PHP in order to ensure full compatibility with Joomla!. Joomla! will still operate even if your settings do not match.

Directive	Recommended	Actual
Safe Mode:	Off	Off
Display Errors:	Off	On
File Uploads:	On	On
Magic Quotes Runtime:	Off	Off
Register Globals:	Off	On
Output Buffering:	Off	Off
Session Auto Start:	Off	Off


Joomla! is free software released under the GNU/GPL v2.0 License.

Done
Internet

Page: 6/28



The screenshot shows the Joomla! Web Installer interface in Microsoft Internet Explorer. The browser's address bar displays `http://master.demo.jms2win.com/installation/index.php`. The Joomla! logo and the word "Installation" are at the top left, with "Version 1.5" at the top right. A "Steps" sidebar on the left lists the installation stages: 1: Language, 2: Pre-installation Check, 3: License (highlighted), 4: Database, 5: FTP Configuration, 6: Configuration, and 7: Finish. Below the steps is a 3D box icon with a downward arrow. The main content area is titled "License" and features "Previous" and "Next" navigation buttons. It displays the "GNU General Public License" with a "Table of Contents" listing: GNU GENERAL PUBLIC LICENSE, Preamble, TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION, and How to Apply These Terms to Your New Programs. The license text includes the version date (June 1991), copyright information (Free Software Foundation, Inc.), and the core principle of the license: "Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed." A "Preamble" section follows, explaining the license's intent to guarantee freedom to share and change software.




When sharing the same database between the master site and the slave site, the most important is to use another prefix table than 'jos_' for the all sites due to a bug in Joomla standard installation that destroy the users present in jos_. See user's manual for more detail on possible architecture.

Here we have chosen 'master_' table prefix for the master website

For the slave site, we will use the same database with other table prefix (ie. Slave1_, slave2_ ...)

If you want to keep 'jos_' table for the master database, in that case, you have to install the slave sites on another database to avoid the deletion of the users.



Joomla! Web Installer - Microsoft Internet Explorer

Address: <http://master.demo.jms2win.com/installation/index.php>

Joomla! Installation

Version 1.5

Steps

- 1: Language
- 2: Pre-installation Check
- 3: License
- 4: Database
- 5: FTP Configuration
- 6: Configuration**
- 7: Finish

Main Configuration

Site Name:

Enter the name of your Joomla! site.

Site Name:

Confirm the Admin E-mail and Password.

Enter your e-mail address. This will be the e-mail address of the Web site Super Administrator. Enter a new password and then confirm it in the appropriate fields. Along with the username **admin**, this will be the password that you will use to login to the Administrator Control Panel at the end of the installation. If you are migrating, you can ignore this section. Your current settings will be automatically migrated.

Your E-mail:

Admin Password:

Confirm Admin Password:

Load sample data, restore or migrate backed-up content

Important! It is strongly recommended that new Joomla! users install the default sample data. To do this, select the option *and* click on the button *before* moving to the next stage.


Before leaving the installation, you can populate the site database with data. There are three ways to do this:

- 1. Default sample data** can be inserted. To do this, select the first option and click the Install Sample Data button.
- 2a. A Joomla! 1.5.x compatible SQL script file** can be uploaded from a localhost and executed on the site. This could be for installing localised sample data or restoring a Joomla! 1.5.x backup. The script should have the correct table prefixes, be in UTF-8 encoding

Install Default Sample Data *Installing sample data is strongly recommended for beginners. This will install sample content that is included in the Joomla! installation package.*


Load Migration Script *The migration script needs to be created on the old site by the `com_migrator` tool to conform. Enter the table prefix of the old site and enter the encoding used in old site (`_ISO` setting in language file or as seen in browser `info(encoding/source)`. Joomla! 1.5 migration SQL scripts need to be Joomla! 1.5.x compatible and should have the appropriate table prefix.*



Maximum Upload Size: Your server's maximum file upload size is 16.00MB..




Now we have **renamed** the Standard Joomla Installation file (**installation** directory)

3. Installation Of JMS on the Master site






Now I have registered the product




Select **Check Patches**




Click on “Install”


After the install, it is probable that you have to login again.



The screenshot shows a Microsoft Internet Explorer browser window titled "JMS Demo - Master - Administration - Microsoft Internet Explorer". The address bar contains the URL: `http://master.demo.jms2win.com/administrator/index.php?option=com_multisites&task=checkpatches`. The page content includes the Joomla! logo and the text "JMS Demo - Master". Below this is a "Joomla! Administration Login" section with the instruction: "Use a valid username and password to gain access to the Administrator Back-end." and a link "Return to site Home Page". The login form contains fields for "Username" (with "admin" entered), "Password" (with "*****" entered), and "Language" (with "Default" selected in a dropdown menu). A "Login" button with a green arrow is positioned below the form. A large padlock icon is centered on the page, indicating that the administrator back-end is locked. At the bottom of the page, it states "Joomla! is Free Software released under the GNU/GPL License." The browser's status bar at the bottom shows "Done" and "Internet".


Verify that patches are correctly installed





Until here, patches for additional extension does not appears in the list of file to patches as they are not yet installed.

Click on CANCEL to return in the Joomla Multi Sites



Until here, there is no slave sites.

Lets define some slave sites.

For the demo, we have choosen to create:

- “slave1” for “slave1.demo.jms2win.com”
- “slave2” for “slave2.demo.jms2win.com”
- “x2win” for “www.x2win.eu”

Click on NEW to create a slave site

The screenshot shows the Joomla! administrator interface for 'JMS Demo - Master'. The 'Site Details: [New]' form is displayed. The ID field contains 'slave1'. The 'List of domain names' field contains 'slave1.demo.jms2win.com'. Below this, there are fields for 'DB host name', 'DB', 'DB prefix', 'DB user', and 'DB password'. A yellow tooltip explains that the domain names should be separated by commas or newlines. A red box highlights the 'Save' button. A remark at the bottom states: 'Remark: Save operation will create a new directory and will redirect you to Joomla installation to let you setup this site'.



Save the description

The screenshot shows the Joomla! administrator interface for 'JMS Demo - Master' in the 'Site Manager' section. A message box states: 'The site 'slave1' is deployed. - You can now map your new domain (slave1.demo.jms2win.com) to the directory 'home.10.15.edwinwin/jms/demo'. - When the DNS will be updated with your new domain (perhaps you have to wait 24 hours), you will can go to your new domain and Joomla will request you a new installation (as usual). - Please use a new db prefix for each site and NEVER use 'jos' as prefix.' Below the message is a table with the following data:

#	<input type="checkbox"/>	ID	Site name	domains	db server	DB	Prefix	User
1	<input type="radio"/>	slave1	slave1	slave1.demo.jms2win.com				

At the bottom of the table, there is a 'Display #' dropdown menu set to '20'.

Now repeat the operation for the other slave sites.
In our example, we create the slave2 and x2win



When the installation is completed on the master site, we can see that

installation directory is restored and a “mutisites” directory is created with the slave sites directory.

0: /jms/demo/*.*

Name	Ext	Size	↓Date	Attr
↑..[.]		<DIR>	00-00-1980 00:00	----
[administrator]		<DIR>	06-07-2008 22:40	-755
[cache]		<DIR>	06-07-2008 22:40	-755
[components]		<DIR>	24-07-2008 07:48	-755
[images]		<DIR>	06-07-2008 22:40	-755
[includes]		<DIR>	24-07-2008 07:49	-755
[installation]		<DIR>	24-07-2008 07:49	-755
[language]		<DIR>	06-07-2008 22:40	-755
[libraries]		<DIR>	06-07-2008 22:40	-755
[logs]		<DIR>	06-07-2008 22:40	-755
[media]		<DIR>	06-07-2008 22:40	-755
[modules]		<DIR>	06-07-2008 22:40	-755
[multisites]		<DIR>	24-07-2008 08:00	-755
[plugins]		<DIR>	06-07-2008 22:40	-755
[templates]		<DIR>	06-07-2008 22:40	-755
[tmp]		<DIR>	24-07-2008 07:49	-755
[xmlrpc]		<DIR>	06-07-2008 22:40	-755
configuration	php	1,812	24-07-2008 07:20	-644
robots	txt	304	06-07-2008 22:40	-644
configuration	php-dist	3,362	06-07-2008 22:39	-644
COPYRIGHT	php	1,174	06-07-2008 22:39	-644
CREDITS	php	12,776	06-07-2008 22:39	-644
htaccess	txt	2,663	06-07-2008 22:39	-644
index	php	2,051	06-07-2008 22:39	-644
index2	php	590	06-07-2008 22:39	-644
INSTALL	php	4,344	06-07-2008 22:39	-644
LICENSE	php	17,816	06-07-2008 22:39	-644
LICENSES	php	30,703	06-07-2008 22:39	-644
CHANGELOG	php	36,234	06-07-2008 22:38	-644


0: /jms/demo/multisites/*.*

Name	Ext	Size	↓Date	Attr
↑..[.]		<DIR>	00-00-1980 00:00	----
[slave1]		<DIR>	19-08-2008 10:17	-755
[slave2]		<DIR>	19-08-2008 10:20	-755
[x2win]		<DIR>	19-08-2008 11:06	-755
config_multisites	php	306	19-08-2008 10:37	-644


4. Installation Of the Slave Sites

Now, as the slave sites are defined, it is possible to connect on your domain slave sites and repeat the Joomla Installation.

Here we install the “Slave1”



Continue the Joomla Installation until you arrive to the database definition. In our sample, we have selected the same database than the master but we have change the table prefix “slave1_”



In our sample, we continue until the main configuration is require and we give another title to the site

Steps

- 1: Language
- 2: Pre-installation Check
- 3: License
- 4: Database
- 5: FTP Configuration
- 6: Configuration**
- 7: Finish

Main Configuration Previous Next

Site Name:
Enter the name of your Joomla! site.
Site Name:

Confirm the Admin E-mail and Password.
Enter your e-mail address, this will be the e-mail address of the site Super Administrator. Enter the password and then confirm it in the following fields. This will be the password that you will need at the end of the installation process to login to the Administrator Control Panel together with the username **admin**. If you are migrating you can ignore this section as your current settings will be automatically migrated.

Your E-mail:
Admin Password:
Confirm Admin Password:

Load Sample Data, Restore, or Migrate Backed Up Content

Important! It is strongly recommended that new Joomla! Users should install the default Sample Data. This requires selecting the option *and* clicking on the button before moving to the next stage.

Before leaving the installation you can populate the site database with data. There are three options to do this:


- 1. Default Sample Data** can be inserted - To do this select the first option and click the Install Sample Data button.
- 2.a Joomla! 1.5 Compatible SQL Script File** can be uploaded from local host and executed on the site. This could be for installing localised sample data or restoring a Joomla! 1.5 backup. The script should have the correct table prefixes, should be in utf-8 encoding and should comply with Joomla! 1.5 database schema.

Install Default Sample Data *Installing this is strongly recommended for beginners. It will install default sample content that is included in the Joomla! installation package.*
Install Sample Data


Load Migration Script *The migration script needs to be created on the old site by the `com_migrator` tool to conform. Enter the table prefix of the old site and enter the encoding used in old site (`_ISO` setting in language file or as seen in browser `info/encoding/source`). Joomla! 1.5 Migration SQL scripts need to be Joomla! 1.5 compatible and should have the appropriate table prefix.*

Maximum Upload Size: Your server's maximum file upload size is 16.00MB.
Old Table Prefix:

Done Internet



When you have the screen to remove the installation directory, **DO NOT REMOVE** the directory. As you have installed JMS, the installation directory MUST always be present to allow re-install other websites. You can directly select administration.



Now you can repeat the operation for the other slave sites.
In our demo, we have create Slave2

You can supervise the installation of the slave sites when you go into the master / manage sites. This show you the site names and database parameters.

Joomla! JMS Demo - Master Version 1.5.6

Site Menus Content Components Extensions Tools Help Preview 0 1 Logout

Site Manager

Delete Edit New Help

[Manage sites](#) | [Check patches](#) | [User's Manual](#) | [Check for Updates](#) | [About us](#)

- Select server - - Select db -

#	<input type="checkbox"/>	ID	Site name	domains	db server	DB	Prefix	User
1	<input type="radio"/>	slave1	JMS - Demo SLAVE no 1	slave1.demo.jms2win.com	mysql5-12	edwinwin_jms	slave1_	edwinwin_jms
2	<input type="radio"/>	slave2	JMS - Demo Slave no 2	slave2.demo.jms2win.com	mysql5-12	edwinwin_jms	slave2_	edwinwin_jms
3	<input type="radio"/>	x2win	JMS - Demo domain www.x2win.eu	www.x2win.eu	mysql5-12	edwinwin_jms	x2win_	edwinwin_jms

Display # 20

Joomla! is Free Software released under the [GNU/GPL License](#).

5. Selection of different default template on each Sites

We received multiple questions concerning the template and if each site can select its own default template.

The answer is YES. Each website can select its own default template.

The particularity of the Template and Languages is that they are only installed on the Master site. The installation on a slave site is disabled.

In our demo, we have used different default of Joomla standard 1.5.6

Master	rhuk_milkyway
Slave 1	JA_Purity
Slave 2	beez
X2win	beez