

## Change a subdomain site url to a subdirectory url

Posted by timsimon - 2009/12/09 16:29

---

Hi

I am currently using Joomla V 1.5.15 and JoomlaMultisites V 1.2.14.

I have set up my master ([www.mydomain.com](http://www.mydomain.com)) and slave site ([www.subdomain\\_aaa.mydomain.com](http://www.subdomain_aaa.mydomain.com)) sharing a database (prefixes master\_ and slave\_) and it is ready to go live.

I intended to replicate the sites:

[www.subdomain\\_bbb.mydomain.com](http://www.subdomain_bbb.mydomain.com)

[www.subdomain\\_ccc.mydomain.com](http://www.subdomain_ccc.mydomain.com)

etc., on roll-out.

I have just applied for an SSL Certificate for the sites and am told that I cannot use subdomains with an SSL certificate, but I can use subdirectories. e.g.

[www.mydomain.com/subdirectory\\_aaa](http://www.mydomain.com/subdirectory_aaa)

[www.mydomain.com/subdirectory\\_bbb](http://www.mydomain.com/subdirectory_bbb)

[www.mydomain.com/subdirectory\\_ccc](http://www.mydomain.com/subdirectory_ccc)

My question is, how do I now achieve changing the existing slave site from

[www.subdomain\\_aaa.mydomain.com](http://www.subdomain_aaa.mydomain.com)

to

[www.mydomain.com/subdirectory\\_aaa](http://www.mydomain.com/subdirectory_aaa)

and then, what settings do I use to execute the replication into further subdirectories using the same db?

Regards

Tim

---

## Re:Change a subdomain site url to a subdirectory url

Posted by edwin2win - 2009/12/09 19:00

---

In JMS, you can define as many synonyms as you want in a single slave site.

For example you can define

site id = slave1

domain = [www.slave1.domain.com](http://www.slave1.domain.com)

+ [slave1.domain.com](http://slave1.domain.com)

+ [domain.com/slave1](http://domain.com/slave1)

+ [www.domain.com/slave1](http://www.domain.com/slave1)

JMS is able to parse all those syntax and assign them to the same slave site.

So just edit the slave site definition and add the new synonyms.

I advise you to put the "default" one in the first place because sometime JMS can use the first domain

that you provide for specific purpose (perhaps you are not concerned - case of the Multisite Menu Item that create full link based on the first domain name present in a slave site).

---

## **Re:Change a subdomain site url to a subdirectory url**

Posted by timsimon - 2009/12/09 21:06

---

Hi Edwin

You said: "So just edit the slave site definition and add the new synonyms"

Exactly where should I be editing the existing slave site definition?

---

## **Re:Change a subdomain site url to a subdirectory url**

Posted by edwin2win - 2009/12/09 23:04

---

- Go in JMS manage site.
- Select the radio button of the slave site that you want to modify
- Click on the edit button in the top right
- When you are in the the site form, go in the "domain" field and put as many lines as you want with all the http:// synonyms
- Click on save button

That all to edit and modify a slave site

---

## **Re:Change a subdomain site url to a subdirectory url**

Posted by timsimon - 2009/12/10 09:26

---

OK, that's what I thought, but when I do that I get pages of errors:-

Create table error on query . DB Error: Not unique table/alias: 'it\_acesef\_extensions' SQL=CREATE TABLE IF NOT EXISTS it\_acesef\_extensions LIKE `skillsfo\_skills`.`it\_acesef\_extensions`  
Create table error on query . DB Error: Not unique table/alias: 'it\_acesef\_urls' SQL=CREATE TABLE IF NOT EXISTS it\_acesef\_urls LIKE `skillsfo\_skills`.`it\_acesef\_urls`  
Create table error on query . DB Error: Not unique table/alias: 'it\_acesef\_urls\_moved' SQL=CREATE TABLE IF NOT EXISTS it\_acesef\_urls\_moved LIKE `skillsfo\_skills`.`it\_acesef\_urls\_moved`  
Create table error on query . DB Error: Not unique table/alias: 'it\_alpha\_rating' SQL=CREATE TABLE IF NOT EXISTS it\_alpha\_rating LIKE `skillsfo\_skills`.`it\_alpha\_rating`

..... and so on for every table.

Is it trying to create a new slave site?

All I want to do is make the same existing slave site accessible using a subdirectory style url

([www.mydomain.com/subdirectory](http://www.mydomain.com/subdirectory)) when it was originally set up as a subdomain style url ([www.subdomain.mydomain.com](http://www.subdomain.mydomain.com)).

Regards Tim

---

## **Re:Change a subdomain site url to a subdirectory url**

Posted by edwin2win - 2009/12/10 10:15

---

It seems effectively that your server try to recreate the table.

Which version of MySQL are you using ?

If you have a look in the statement, the statement is IF the table does not exists then create it.

Therefore if you receive an error that say that the table already exists this is theoretically impossible as it has to test if the table exists before.

This looks like a bug in MySQL that would not process correctly the statement or perhaps a specific MySQL user privileges that does not give the permission to test when a table is present.

So if you have a dedicated server or if you have the MySQL root login, I suggest that you verify the MySQL user privileges with PHPMyAdmin (if you have the root login) or report the issue to your hosting provider to try understand why the "CREATE TABLE IF NOT EXISTS" return a creation error.

---

## **Re:Change a subdomain site url to a subdirectory url**

Posted by timsimon - 2009/12/10 12:34

---

The MySQL version is 5.0.85 & PHP version 5.2.9

The user has all privileges

---

## **Re:Change a subdomain site url to a subdirectory url**

Posted by edwin2win - 2009/12/10 13:52

---

Sorry but I don't see any explanation in google and other search engine that explain the case of an error 1066 combined with "CREATE TABLE IF NOT EXISTS"

If you find an explanation that may help understand the reason, please tell us.

This is the first time that we are reported with this error message.

Perhaps somebody else would have an idea on the reason why MySQL produce this error message

---

## **Re:Change a subdomain site url to a subdirectory url**

Posted by timsimon - 2009/12/10 16:48

---

OK, well I just ignored that problem and have just created a new clone of my slave site!

Now the new site is accessible via the url  
www.mydomain.com/multisites/subdirectory  
but I want it to be accessed via the url  
www.mydomain.com/subdirectory  
(if I use that I just get the mastersite and a 404)

How do I make that change?

---

### **Re:Change a subdomain site url to a subdirectory url**

Posted by edwin2win - 2009/12/10 18:09

---

You can also create an alias in JMS that will create a symbolic link on the deployed directory

Alias = {root}/{site\_id}

---

### **Re:Change a subdomain site url to a subdirectory url**

Posted by timsimon - 2009/12/11 09:13

---

All sorted out now. Thanks very much for your excellent support. Regards Tim

---