

## Where is the deploy directory field?

Posted by jakeatencio - 2010/03/31 08:34

---

JMS is installed and patched. I am trying to create a simple slave site in a subdirectory. I see in the tutorials about the site id and the list of domain names, but I don't have a "deploy directory" field.

The site manager creates the subdirectory, but there is nothing copied in there. In the multisites/slave1 directory there is a config\_multisites.php file and a cache directory.

What am I missing here? <http://www.jms2win.com/images/fbfiles/images/Capture.GIF>

=====

## Re: Where is the deploy directory field?

Posted by edwin2win - 2010/03/31 11:37

---

You are missing to setup the "deploy folder" that is NOT displayed when you don't have the Symbolic Link allowed.

So review the tutorial vdeo 3 to 7 to check the Symbolic Links.  
In your case, the JMS setting, replied "forbidden".  
In video 7 it is remember the element that must be checked.

Based on your screenshot, I suppose that you have installed JMS on a Windows platform that does not support the Symbolic Links.  
If this is the case, you will not be able to use the Symbolic Link feature.

When using PHP on IIS, it is possible to simulate partially the subdirectories with Virtual Directory. I don't think you are in this case as I saw "XAMP" (uniX AMP).

=====

## Re: Where is the deploy directory field?

Posted by goby22 - 2010/04/08 20:35

---

Hi I have the same problem. I create a web server for a school an it is windows server 2003. The school doesn't want to use unix base OS. So i find your component and is it usefull for login to multi site.

So my question is how can i setup your component to get the same result as on unix base OS.

regards,

Alvaro Alberto

=====

## Re: Where is the deploy directory field?

Posted by edwin2win - 2010/04/09 16:18

---

On Windows the Symbolic Link does NOT exists.

So the "deploy folder" does not exists.

See the tutorial video 3 to 7 the explain how to check if the symbolic link is allowed.

There is no way to use Symbolic Links.

The only alternative solution on Windows with IIS is to use the "Virtual Directories" that is outside of JMS.

=====

## Re:Where is the deploy directory field?

Posted by jeffreyd65 - 2010/06/04 18:46

---

Hello,

I have set up the template, the list of domain names is : `http://{site_url}/{site_id}`, the deploy folder is : `/webroot/b/i/biofu002/primary/www/{site_id}` and I click the "Create the deployed folder" button when I create the site.

The site is generated, but when I want to access the site, I get the 404 - Error:404

Do I need set up a symbolic link every time I want to deploy to a subdomain or folder?

I am workin on a Unix system and "Unix Symbolic Links: Allowed"

Can you please advise?

Thanks in advance!

=====

## Re:Where is the deploy directory field?

Posted by edwin2win - 2010/06/04 20:16

---

If you are in the same scenarion than the topic of this thead, then you are on a Windows Platform where the Symbolic Link is not allowed.

As you don't mentionned any information concerning your environment, I can jsut assumed that you are on Windows Platform and that Deploy Directory is not allowed.

If you are on Windows and therefore don't have possiblity to deploy a slave site into a specific direcrtory, as you could read in this forum, it is very hard to have a specific template folder for the windows platforms as most of the extension have hardcoded the `"/templates"` directory path in their extension.

The 404 means that the directory or the path does not exists.

Uses a "hello.php" to check that you have the correct path and directory.

See tutorial video 7 that show how to proceed with hello world.

You can put this file in any directory to verify that you have correctly setup your HTTP Server (not JMS) and that you have the correct path. This hello.php display the path that should be used in the "deploy folder" when it is present (linux platform and symbolic link allowed).

=====

## Re:Where is the deploy directory field?

Posted by fire2 - 2011/06/02 11:56

---

There is something i am not getting or i am having a problem.

I purchased this component and installed it on a linux sever (bluehost.com) and in the the settings it says:

Warning: fopen(tmp/symlink\_file4de759629fcf6.txt) : failed to open stream: No such file or directory in /home4/flamenc7/public\_html/portal/administrator/components/com\_multisites/helpers/helper.php on line 137

Forbidden

So I cannot have addon domains with a different template... even if i change the css of the css files under multisites/{site\_id}/templates on the selected template it does not do anything at all, so what can I do?

=====

## Re:Where is the deploy directory field?

Posted by fire2 - 2011/06/02 12:41

---

I installed the hello files and when i go to hello.php on my main domain and on my addon domain it says that Symbolic Link is PRESENT , so why do I get that error? What do I need to do so every addon domain will use the template under multisites/{site\_id}/templates rather than the main one?

thanks

=====

## Re:Where is the deploy directory field?

Posted by edwin2win - 2011/06/03 16:15

---

If the "hello world" says that the symbolic link is present and that the JMS Settings menu says forbidden, you have to check the Global Configuration "tmp" and "logs" directories to ensure that you provided a path that have the permission.

Jms multisite uses these directories as temporary one to verify the symbolic links.

It seems in your case that the error 137 is due to a wrong "tmp" directory.

The path is "tmp/sym...."

Normally it should be /home4/flamenc7/public\_html/portal/tmp/sym....

So verify your Global Configuration.

=====