

## jms multi site

Posted by vinod - 2011/03/01 11:28

---

I have jms multi site component into my application, how to create the subsites in local machine.

I have deployed in linux machine i resolved the symbolic issue now every think looks good.

We need to create the virtual host for that or how to make the subdomains.

Please assist me how to achive this.

=====

## Re: jms multi site

Posted by edwin2win - 2011/03/01 23:05

---

Create a subdomain depends on the HTTP Server administration tool.

If you are using a cPanel, see the tutorial video CP-04 that show how to defined a subdomain in cPanel and how to create a slave site with a subdomain.

<http://www.jms2win.com/en/tutorial#jms12x-CP-04>

If you directly manage the apache "httpd.conf" file the you have to create a virtualhost entry to declare the subdomain.

You can get inspired from the user manual chapter 3.2.4

Once you have defined the subdomain in your server then you must know the "document root" directory that you associated to the subdomain.

When you know the "document root", you can go in JMS Multisites "manage site" menu and create a slave site that has the "deploy folder" equal to the "document root" path.

I hope this will help you

=====

## Re: jms multi site

Posted by vinod - 2011/04/18 13:32

---

How to change the slave site template design?

I made one small design fix in master site template "index.php" file but that will not reflecting the slave sites how to make those as uniform in all sites.

=====

## Re: jms multi site

Posted by edwin2win - 2011/04/19 17:05

---

When you create the slave site, you have to potentially specify that you want to share the "/templates"

directory.

I suspect that you have created a slave site with a specific "/templates" directory.

Check the "Jms template" rule that you have used to create the slave site.

In the rule, you have to select the action="specific copy" for the "templates" directory.

See the video 0.b - slide 34

<http://www.jms2win.com/en/tutorial#jms12x-0b>

---

## Re: jms multi site

Posted by vinod - 2011/04/28 07:43

I have created the custom joomla module and installed into master site,while try to share that module to slaves it shows (red line warning) instated of install from master defined from master,I have defined from master and enabled in module manager section but i can not see the module in front end.

Is there any specific way to create the module?

---

## Re: jms multi site

Posted by edwin2win - 2011/04/28 21:19

This is not clear.

Do you means that you defined a "custom HTML" module in the master that is not copied in a slave site ?

I suspect this is not the case as you mention red cross for the module.

I suppose that you use the JMS Tool menu and want to install a module that is not defined in the list of extension of Jms Multi Sites.

In most case, you can just define the extension event when it has a red cross because you must have the associated component installed with all its MySQL tables.

So if my hypothesis is correct, you have to check that you have the component also correctly installed. If the component has also a red cross, perhaps you should have to install the extension from the back-end of the slave.

---

## Re: jms multi site

Posted by vinod - 2011/05/03 09:38

Hi,

There is no component for that module ,I have created the module my own and also component, that component and module does not have tables.

How to use the google analytics for each slave site?  
How to track the each site statistics?

=====

### Re: jms multi site

Posted by edwin2win - 2011/05/03 16:50

---

If you developed your own component or module that does not perform any DB access (no specific table) then you can just defined the extension.

Concerning the google analytics, I suppose you make reference to our free multisites google analytics module.

As the parameters are saved in the module they are specific for each website.

So just add the module in a specific position (ie. footer or main menu, ..) and setup the google code.

See the multisites google analytics description that will guide on you the different setting

[http://www.jms2win.com/en/free-download/doc\\_details/4-multi-sites-google-analytics](http://www.jms2win.com/en/free-download/doc_details/4-multi-sites-google-analytics)

=====

### Re: jms multi site

Posted by vinod - 2011/05/04 12:11

---

Hi,

I have downloaded the module from above link and installed into my site,My site url as like this

<http://niche.solnet.us>,So I have configured like this

[niche.solnet.us/=UA-23096650-1](http://niche.solnet.us/=UA-23096650-1)

[niche.solnet.us/slave11=UA-23096650-2](http://niche.solnet.us/slave11=UA-23096650-2)

[niche.solnet.us/slave12=UA-23096650-3](http://niche.solnet.us/slave12=UA-23096650-3)

is this right?

=====

### Re: jms multi site

Posted by vinod - 2011/05/05 16:02

---

Hi Edwin,

I have downloaded the google analytics module installed and configured as above,but i can not see the google analytics js code inside the body section.

I have created the new position and also tried with existing position even though i can not find the js code,the module in published state.

=====

## Re: jms multi site

Posted by edwin2win - 2011/05/07 12:23

---

If you don't find the code, this probably mean that the domain does not match.

I noticed that you put a slash at the end.

I also noticed that you used subdirectories in the domain name.

The multisites google analytics only recognize domain name (without slash at the end) and does not accept subdirectories.

So try removing the slash at the end.

You can also try setup a default value (without any domain name) to verify that the code is correctly inserted.

Also ensure that the module is enabled.

=====

## Re: jms multi site

Posted by vinod - 2011/05/09 08:39

---

Hi Edwin,

I have removed the slash from the url end.It's working for master site niche.solnet.us but it does not working for niche.solnet.us/slave11, How to solve this issue.

=====

## Re: jms multi site

Posted by edwin2win - 2011/05/09 12:07

---

As I told you before, the subdirectory that you are using are not recognized as the module only works with domain and not including the subdirectories.

If you also want to process subdirectories in a domain, the PHP code of this module should be modified.

=====

## Re: jms multi site

Posted by vinod - 2011/05/09 13:02

---

Hi edwin,

Thanks for your reply,

I am using virtuemart and community builder in my site.

I have logged in using community builder login module in master site after adding the products into shopping cart from slave sites I try to checkout from there it will asks me to login again then I will return back to master site and make check out it's working fine.

How to make the login as global for all sites.

---

## Re: jms multi site

Posted by edwin2win - 2011/05/11 18:14

---

First, when you are using Virtuemart, you have to check its configuration to ensure that "secure site" URL is the correct one and that you are not redirected to another website.

If you are connected on the correct website and that you want to share the user login between the website and also benefit of the single sign-in, this is possible when you share the users and that you have the website on the same domain. The websites can be a subdomain or a subdirectory of a same domain.

To see how to create websites that share the users, see the video 16

<http://www.jms2win.com/en/tutorial#jms12x-16>

---

## Re: jms multi site

Posted by vinod - 2011/05/11 19:32

---

Hi Edwin,

Thanks for your reply,

I have to assign the each user to particular slave site,Assigned user need to manage their sites in admin and frontend both the section.

1)How to get the list of slave site ids

2)How to get the site info like site alias,prefix from that user id.

3)How to make the admin password as different for each slave site.

---

## Re: jms multi site

Posted by edwin2win - 2011/05/16 16:25

---

1) From the front-end, the site ID is not a parameter available. Normally you should use the site prefix.

2) When you create a "list of slave" in the front-end, the user only see its websites.

So he can retrieve the site prefix and site alias he entered to create the slave site.

3) In the front-end, the user can enter a new password. So that it can be different in each slave site and mainly known by the user himself.

In a next release that we are preparing, it is possible to define additional parameters to automatically compute a new admin login, admin email and admin password. In addition an automatic email can be sent to the front-end user with the new values.

=====