

## Caching in slave site

Posted by maxvanessen - 2009/04/11 13:26

---

Hi again,

I'm having the following issue:

I created a slave site in dir multisites/slave.nl/ with it's own database. When I turn caching on in the slave site (I don't have caching turned on in the master site) the caching files appear in the /public\_html/cache dir, not in the multisites/slave.nl/cache! It's a dir, not a sym link. I checked the config files for multisite and joomla, and the cache dir is set up as multisites/slave.nl/cache everywhere... also in the joomla admin under help -> sys info the cache dir is set up as multisites/slave.nl/cache. Do you have a fix for this issue?

regards.

=====

## Re:Caching in slave site

Posted by edwin2win - 2009/04/11 15:26

---

I have made a review of the Joomla code and I have seen that they have used a hardcoded 'cache' directory at many places.

They have assumed that the cache is located in the Site root path + "cache".

Therefore, I suppose that in your case, you have setup you hosting server to have the same path than the master website directory.

If you have the Symbolic Link allowed, I suggest you to deploy the slave site into a specific directory and have the hosting server assigned with this specific directory.

This will give a new site root directory and therefore separated cache.

For the moment, I don't think modify Joomla to fix all those cache usage because they don't have use appropriately their global define JPATH\_CACHE

=====

## Re:Caching in slave site

Posted by maxvanessen - 2009/04/12 12:18

---

Thanks for checking the code...

So you mean to deploy the slave site in it's own directory like /domains/slave.com/public\_html and creating a sym link in the master site directory to this new slave site?

=====

## Re:Caching in slave site

Posted by edwin2win - 2009/04/12 12:46

---

---

YES, I think the is the only solution that I can propose for the moment.

This will be in the JMS deploy directory that you will specify the directory like  
/domains/slave.com/public\_html

Let JMS create the Symbolic Link and speicifc index files to allow manage the slave sites correctly.

=====

### Re:Caching in slave site

Posted by maxvanessen - 2009/04/13 12:34

---

I tried your solution and it's actually a pretty good setup when you're on a shared host like me. This way I can keep all the functions of a new domain, like email, and use multi sites. Great!

=====