

## Mosets Tree image problem

Posted by chrisjclay - 2012/07/24 19:49

---

Hi Edwin,

I just discovered that each slave site's Mosets Tree directory is sharing a single set of image folders:

```
/components/com_mtree/img/listings/m  
/components/com_mtree/img/listings/o  
/components/com_mtree/img/listings/s
```

... and Mosets is renaming images using some internal counter that isn't creating unique file names. Images are named like this:

```
1.jpg  
2.jpg  
3.jpg  
etc.
```

Now when I add/edit/delete images on one slave site's directory listing, it's affecting images on the other slave site (and on the master site.)

I could try to hack Mosets Tree to append the date and time to the image filenames, but is there another solution that you're aware of? For example, is there a way to configure JMS to allow different `/components/com_mtree/img/listings/` folders for each slave site?

Cheers,  
Chris

=====

## Re: Mosets Tree image problem

Posted by chrisjclay - 2012/07/24 22:35

---

I ended up hacking Mosets to use unique image filenames (via a timestamp) but I'm still curious if another solution is possible via JMS.

Thanks,  
Chris

=====

## Re: Mosets Tree image problem

Posted by chrisjclay - 2012/07/24 22:55

---

In case anyone else runs into this, here's how I solved the issue. In `admin/components/com_mtree/admin.mtree.php` I made the following changes...

I searched for this:

```
$img_id = $this->_db->insertid();
```

It's around line 1359. After that line I added a new line:

```
//DB Get Current Time
$DBtimestamp = time() . '_';
```

Then I updated a few lines below to include the timestamp:

```
// DB Add timestamp to filename
rename( $old_small_image_path, $mtconf->getjconf('absolute_path') .
$mtconf->get('relative_path_to_listing_small_image') . $DBtimestamp . $img_id . '.' . $file_extension);
rename( $old_medium_image_path, $mtconf->getjconf('absolute_path') .
$mtconf->get('relative_path_to_listing_medium_image') . $DBtimestamp . $img_id . '.' . $file_extension);
rename( $old_original_image_path, $mtconf->getjconf('absolute_path') .
$mtconf->get('relative_path_to_listing_original_image') . $DBtimestamp . $img_id . '.' . $file_extension);

// DB Add timestamp to filename stored in database
$dbdatabase->setQuery('UPDATE #__mt_images SET filename = ' . $dbdatabase->quote($DBtimestamp
. $img_id . '.' . $file_extension) . ' WHERE img_id = ' . $dbdatabase->quote($img_id));
$dbdatabase->query();
```

I had to do the same thing for the copy listing function in admin.mtree.class.php (around line 1435.)

Chris

=====

## Re: Mosets Tree image problem

Posted by edwin2win - 2012/07/25 13:22

---

If you want to modify the Mosets extension, another scenarion would be to use a specific /img/ directory for each website.

You could use the "MULTISITES\_ID" value that provide the Site ID to create variant of the /img depending on the website.

Perhaps you could create something like

```
/img_{site_id}
or
/img/{site_id}
```

As it seems that the path would be compute at a single place, you would just have to change the directory path.

Perhaps that this idea could help you.

=====

## Re: Mosets Tree image problem

Posted by chrisjclay - 2012/07/25 21:23

---

Thanks, a good suggestion. I'll keep it in mind if I discover any complications with the other method I tried above.

Cheers,  
Chris

=====

## Re: Mosets Tree image problem

Posted by falsealarm - 2012/10/18 18:28

---

Edwin2win, can you expand on what you recommended below? I understand the part about creating a site specific location however how do we define this with the Multisites or Mosets Tree configuration to force it?

=====

## Re: Mosets Tree image problem

Posted by edwin2win - 2012/10/18 20:55

---

In my previous post, if I have a good memory, I had researched in all the "mosetree" source where was defined the image path and it seems there is only one place (or very few). So I have suggested to experiment modifying the Mosets tree to check that and try using a path that would automatically computed rather than hardcode as a constant.

This is what I have explained with the different method to compute a specific path.

=====