

## About create slave site problem based on template

Posted by VDmitry - 2010/01/18 20:14

---

Hello, I can crate slave site from back-end (Manage sites), but when I try to do it from Frond-End (Templates) I get error "Database Error: Unable to connect to the database:Could not connect to database". I inserted to configuration.php real DB root password, but I have not gottent good result. Then I upgrade MySQL DB to 5.1.41 version, but so witout good result. I have J1.15 and JMS 1.2.16. Do you have any ideas.

Br, Dmitry.

=====

## Re: About create slave site problem based on template

Posted by edwin2win - 2010/01/18 20:57

---

"Unable to connect the database" means that you don't have correct information defined in the JMS template to describe the DB connection.

You have to check the "host, DB name, login and password".

When you don't have enough privileges, JMS also try to use the alternate "mutlisites.cfg.php" files as documented in the user manual.

It allows you to provide the MySQL root login and password.

If you have used keywords to compute some DB parameters, you have to check them.

If you want to create MySQL user or DB dynamically, you have to check that you have enough permission to do it (or this may explain why you have DB error).

=====

## Re:About create slave site problem based on template

Posted by VDmitry - 2010/01/19 18:18

---

Hello, I would like to have slave sites (cloned by template), separate from master by structure (prefer separate DB for backup), but common users base. I can make site from Front-End, based on template of master site with unic DB prefix, but in this case deleting component in slave site will delete the component in master site. When I try to make slave site in separate DB, I have DB connection problem. As I understand, I have to set in template only new DB parameters, for example, new DB name, and other DB parameters will get from template site or ms config.

In this case I don't understand where I need set DB user/password parameters additional. Could you give me any recommendations for my task?

Br, Dmitry.

=====

## Re:About create slave site problem based on template

Posted by edwin2win - 2010/01/19 20:27

---

First propose a service to create a slave site from the front-end based on a JMS template that define "user sharing" is not recommended as this reset the password of the user selected.

Second to create the slave site from the front-end you can start follow the tutorial video 13. Apply exactly the same value and keyword to help you understand how it works.

Third if you want to have specific DB for each slave site, you need to be able create such DB dynamically. In general, only a MySQL root login has the permission to do that.

So put the MySQL root login in the "multisites.cfg.php" file.

The DB that you want to replicate perhaps does not contain the MySQL root login and password that would allow using it to create additional DB.

See User Manual page 14 concerning the "multisites.cfg.php" configuration file.

Check with your MySQL DB administrator the MySQL user permissions.

If you want that we have a look directly on your environnement, you can also order our billable support at. [http://www.jms2win.com/download?page=shop.product\\_details&flypage=flypage.tpl&product\\_id=35&category\\_id=1](http://www.jms2win.com/download?page=shop.product_details&flypage=flypage.tpl&product_id=35&category_id=1)

=====

## Re:About create slave site problem based on template

Posted by VDmitry - 2010/01/22 16:38

---

Hello, when I have tried make slave sate based on master site by template with create new DB I got new error: Warning: symlink() : No such file or directory in

/var/www/site/administrator/components/com\_multisites/models/manage.php on line 1111

Database Error: Could not connect to database

Could you write, what is mean the error?

Before I upgraded PHP to 5.2.12, mysql to 5.1.41, jms to last version.

Br, Dmitry.

=====

## Re:About create slave site problem based on template

Posted by edwin2win - 2010/01/23 11:27

---

Normally with "symlink()" [function.symlink] you should have an additional info that tells you which link can not be created.

That means that you can NOT create a symbolic link.

For example you have already create a physical directory and now you want to create a symbolic link.

OR you don't have permission to create the symbolic link in the directory where you want deploy the

slave site.

The DB error mean that you are not able to connect - So check the DB host, name, login, password. Perhaps you are trying create a DB dynamically and you don't have the permission

=====

### Re:About create slave site problem based on template

Posted by nagyjosef - 2010/07/12 12:37

---

I write this note because I've spent a few hours finding out why is not working the SLAVE SITE CREATION FROM THE BACKEND USING A TEMPLATE function, and seems that there is a kind of bug.

JMS version info:

JMS Version 1.2.32 (Latest available: 1.2.32)

Patches definition Version 1.2.38 (Latest available: 1.2.38)

The symptom is that after filling all the data for creating the new site based on one of the existing templates, and submitting the form we get

"Database Error: Unable to connect to the database:Could not connect to database" message.

This message appears because the DB with newly given name or generated name based on template, is not existing at the moment the component code wants to connect to it, and unfortunately there is no piece of code to create it ( nor Joomla and nor JMS) after pressing the "Save" button on admin interface.

(Not really the) resolution:

/administrator/components/com\_multisites/libraries/joomla/jms2winfactory.php @ line 426  
instead of

```
if ( JError::isError($db) ) {  
    jexit('Database Error: ' . $db->toString() );  
}
```

You should replace and test with:

```
if ( JError::isError($db) ) {  
  
    // hack begin - create non existing database  
    mysql_connect($host, $user, $password);  
    mysql_query("CREATE DATABASE $database");  
  
    // hopefully DB is created, now we can create the wanted DB object reference  
    $db =& JDatabase::getInstance( $options );
```

```
        if ( JError::isError($db) ) {  
            jexit('Database Error: ' . $db->toString() );  
        }  
        // hack end  
    }
```

This code above is not the final solution, is just a try and check if works, so Guys please finalize this component.

As further tests I've made, it seems that there is the same issue with the user creation too.

Good Luck , Jozsef !

=====

### Re>About create slave site problem based on template

Posted by edwin2win - 2010/07/12 18:01

---

You can NOT put such code in this source that might be used by ALL the Multisites extensions (not only JMS Multisites)

If you want to modify the code, do it in the source that create the DB and not on the one that establish the DB connection.

If you had a look in the source where we make the DB, you would have see that we already performed such kind of test before.

=====