

## Transfer site to another server

Posted by rossi256 - 2013/11/13 23:29

---

Hi,

I am trying to move my site (master+2 slaves) to another server - i packed it and transferred it through ubuntu shell but it seems these symbolic links in the slaves are proper directories now...  
Is there a tutorial or a specific way on how to move sites?

Also - in case i would like to remove Multisites, is there a way to convert a Master+2 slave sites to 3 Joomla sites?

thanks!!

=====

## Re: Transfer site to another server

Posted by edwin2win - 2013/11/17 20:31

---

To move a set of site from one server to another one, start to make a backup like explain in the FAQ <https://www.jms2win.com/en/faq/faq-joomla-multi-sites#cat-268>  
Or with the help of the "weekly backup shell script" that you can modify to perform a backup of all sites in 1 shot.  
[https://www.jms2win.com/en/component/docman/doc\\_details/25-weekly-backup-script](https://www.jms2win.com/en/component/docman/doc_details/25-weekly-backup-script)

Once you have restored the backup on the other server, for simplicity, it is recommended to keep the same directory structure for symbolic links.  
In the case where you restore the website on another directory, when you have restored the websites, login in the master and with the JMS "maintenance" menu there is the possibility to remove all the symbolic links and rebuild them.  
Do it to reflect the new location of your master.

If you have restored the DB with different name, you will have to drop all the shared tables and rebuild them with JMS once you will have updated the DB name, login and password.

Convert the slave site into independent Joomla is also possible.  
The simplest method consists in the install of JMS into each slave site site. (You can use the JMS tool menu)  
After that, you have to perform a backup from SSH with command  
`tar -cvhz tarName.tgz slaveDirectoryToBackup`

This command will perform a backup that will convert each symbolic link into a physical file and folders.  
When done, you can restore the website.  
Rename or remove the "multisites" directory to make it unavailable.  
Make a copy of the "configuration.php"  
After that, you will be able to uninstall JMS.  
This will also restore the configuration.php from the master.  
This will remove all the patches present in Joomla.  
To remove the patches, you can also unzip an original Joomla over the current one.

Restore the slave configuration.php

If you have sharing in DB, you will have to convert all the sharing into a physical copy. There is no magic method. You will have to replace the views by physical content and also rebuild the table.

=====

---

## Re: Transfer site to another server

Posted by rossi256 - 2013/11/17 21:04

---

Thanks a lot for the detailed answer!!

=====

---

## Re: Transfer site to another server

Posted by rossi256 - 2014/04/03 09:35

---

Hi,

tried the above finally and it doesn't work for me. the slave sites are not working and i can not rebuild the symbolic links - which option in multisites should that be?

Also, when going to maintenance menu, i have about 10 errors saying:  
JFolder: :files: Path is not a folder. Path: /....

Now i am desperate to remove Multisites from this joomla site - since i could not get that to work (can not copy the site to another server i am trying to move to), i purchased SPTransfer to copy out all the content over to a new fresh joomla install...which does not work cause the SPTransfer seems to be not compatible...?!

what has to be done to make it compatible?  
trying to launch the component in a slave site says that tables are missing - and they are not being copied to the slave site(s)...

thanks!  
Michael

=====

---

## Re: Transfer site to another server

Posted by edwin2win - 2014/04/10 18:57

---

To perform the backup of the files instead of the symbolic link, you have to use the "-h" or "--dereference" in the tar command.

You can use for example

```
tar -chzf site.tgz THE_DIRECTORY_TO_BACKUP
```

This should create (-c) a derefence (-h) zipped (-z) file (-f)

If in the DB you are using sharing of content then you have effectivelly more work to do to replace the sharing of the content by the physical content.

In this case, you will have to collect the SQL files and perform the changes manually before the restore.

=====